


MARCHE/LAZIO

LUXURY VINYL PLANK & TILE

TECHNICAL DATA SHEET



Bella Flooring
GROUP

MARCHE

LUXURY VINYL PLANK & TILE

TECHNICAL DATA SHEET



Bella Flooring GROUP

PRODUCT DETAILS

Product Type	Glue Down LVP & LVT
Collection	Marche
Construction	Vinyl Dryback Plank / Vinyl Dryback Tile
Classification	ASTM F1700-Class III, Type A-Smooth, Type B-Embossed
Overall Thickness	2.5 mm (.10")
Wear Layer	22 mil (0.55 mm)
Edge Profile	Micro Bevel
Surface Finish	UV Coating
Embossing	Photo Match Embossing / Stone Embossing
Plank Size	8" W x 48" L (203.2 mm x 1219.2 mm)
Tile Size	12" W x 24" L (304.8 mm x 609.6 mm)
SQ. Feet Per Carton	Plank 34.6710 sf/ctn Tile 36 sf/ctn
Pieces Per Carton	Plank 13 Tile 18
Weight Per Carton	Plank 29.96 lbs Tile 31.24 lbs
Carton Per Pallet	Plank 85 Tile 72
Installation Method	Glue Down



TECHNICAL PROPERTIES



Dimensional Stability	ASTM F2199 Passes $\leq 0.2\%$ / lineal ft. (305 mm)
Curling	ISO 23999 Passes $\leq 2\text{mm}$
Static Load	ASTM F970 Passes $\leq 0.005"$ (0.13mm)
Flexibility	ASTM F137 Passes- 1" mandrel passed
Residual Indentation	ASTM F1914 Passes Average: $\leq 8\%$ Max 10%
Resistance to Chemicals	ASTM F925 Passes No more than a slight change in surface
Critical Radiant Flux	ASTM E648 Passes Class I: $\geq 0.45 \text{ W/Sq.cm}$
VOCs/TVOCs, Formaldehyde	CDPH/EHLB Method Compliant
Substances of Very High Concern	REACH SVHC 191 Passes Per Substance: $\leq 0.1\% \text{ w/w}$
Heavy Metals	ASTM F963 Passes
Phthalates	ASTM D7823 Passes CPSC-CH-C1001-9.3
Slip Resistance	EN14041 - Result: Class DS

SUSTAINABILITY & WARRANTIES



Material Certification

Clean Recycle W/O DOTP
Floor Score® Certified

Warranties

Lifetime Residential & 20-Year Commercial



LAZIO

LUXURY VINYL PLANK & TILE

TECHNICAL DATA SHEET



Bella Flooring GROUP

PRODUCT DETAILS

Product Type	Loose Lay LVP & LVT
Collection	Lazio
Construction	Vinyl Loose Lay Plank / Vinyl Loose Lay Tile
Classification	ASTM F1700-Class III, Type A-Smooth, Type B-Embossed
Overall Thickness	5.0 mm (.20")
Wear Layer	22 mil (0.55 mm)
Edge Profile	Micro Bevel
Surface Finish	UV Coating
Embossing	Photo Match Embossing / Stone Embossing
Plank Size	8" W x 48" L (203.2 mm x 1219.2 mm)
Tile Size	12" W x 24" L (304.8 mm x 609.6 mm)
SQ. Feet Per Carton	Plank 21.34 sf/ctn Tile 22 sf/ctn
Pieces Per Carton	Plank 8 Tile 11
Weight Per Carton	Plank 36.38 lbs Tile 37.48 lbs
Carton Per Pallet	Plank 70 Tile 60
Installation Method	Full Spread or Loose Lay



TECHNICAL PROPERTIES



Dimensional Stability	ASTM F2199 Passes $\leq 0.2\%$ / lineal ft. (305 mm)
Curling	ISO 23999 Passes $\leq 2\text{mm}$
Static Load	ASTM F970 Passes $\leq 0.005"$ (0.13mm)
Flexibility	ASTM F137 Passes- 1" mandrel passed
Residual Indentation	ASTM F1914 Passes Average: $\leq 8\%$ Max 10%
Resistance to Chemicals	ASTM F925 Passes No more than a slight change in surface
Critical Radiant Flux	ASTM E648 Passes Class I: $\geq 0.45 \text{ W/Sq.cm}$
VOCs/TVOCs, Formaldehyde	CDPH/EHLB Method Compliant
Substances of Very High Concern	REACH SVHC 191 Passes Per Substance: $\leq 0.1\% \text{ w/w}$
Heavy Metals	ASTM F963 Passes
Phthalates	ASTM D7823 Passes CPSC-CH-C1001-9.3
Slip Resistance	EN14041 - Result: Class DS
IIC Rating	ASTM E492 & ASTM E989 Result: 66
STC Rating	ASTM E90 & ASTM E413 Result: 67

SUSTAINABILITY & WARRANTIES



Material Certification Clean Recycle W/O DOTP
Floor Score® Certified

Warranties Lifetime Residential & 20-Year Commercial





100% WATERPROOF

MARCHE | LAZIO

EASY INSTALL

MARCHE GLUE DOWN LVP | LAZIO LOOSELAY LVP



ADONA



VIOLA



MARTA



SOFIA



GRETA



DOLCE



ADONA



EDDA



FIA



COCO

KEY SPECIFICATIONS	MARCHE	LAZIO
DIMENSIONS	8" X 48"	8" X 48"
TOTAL THICKNESS (MM)	2.5	5.0
WEAR LAYER	22 MIL / .55 MM	22 MIL / .55 MM
EDGE PROFILE	MICROBEVEL	MICROBEVEL
SQUARE FEET PER CARTON	34.67	21.34
CARTONS PER PALLET	85	70
SQUARE FEET PER PALLET	2,947.04	1,493.33

NEED ADDITIONAL DETAILS?

Scan this QR code with your smart device's camera to visit this product's page on our website.

